


Ultra 2 – Overview

| | | | |
|--|--|--|--|
|  | Ultra 2 Model 1300 | Ultra 2 Model 2200 | Ultra 2 Model 2300 |
| Packaging | Desktop | Desktop | Desktop |
| Performance No. of processors Architecture External cache | 1 UltraSPARC-II (300MHz) 2MB | 2 UltraSPARC-I (200MHz) 1MB | 2 UltraSPARC-II (300MHz) 2MB |
| Performance SPECint95 SPECfp95 SPECbase_int95 SPECbase_fp95 | Model 1300 12.10 15.50 10.40 14.50 | Model 2200 7.72 14.70 6.90 13.30 | Model 2300 12.30 20.20 10.50 17.70 |
| System Memory Standard Maximum Tot SIMM memory slots SIMM size | 128MB 2GB (w/ 128MB SIMMs) 16 16, 32, 64, 128MB (must be in groups of 4) | 256MB 2GB (w/ 128MB SIMMs) 16 16, 32, 64, 128MB (must be in groups of 4) | 256MB 2GB (w/ 128MB SIMMs) 16 16, 32, 64, 128MB (must be in groups of 4) |
| Disk Storage Internal External | 4.2GB - 8.4GB 273GB | | |
| I/O Architecture SBus slots Graphics (UPA Slots) Serial ports Parallel ports Audio | 4 CPI (32/64-bit, 25MHz) 1 UPA (83/100MHz) 2 1 16-bit | | |
| External Tape Backup | 2.5GB QIC; 4-8GB DDS-2 4mm tape; 12-24GB 8mm DDS-3; 20-40GB 8mm; 2-144GB 4mm DDS-3 autoloader; SSL Model 8/140; 35-70GB DLT7000 | | |
| Internal Data Interchange, Software Dist., Backup | 12-24GB DDS-3 4mm tape; 14GB 8mm tape, 3.5" floppy, 12x CD-ROM | | |
| Graphics Options | Creator, Creator3D, Elite3D-m6 | | |
| Solaris License | Solaris 2.5.1 or later | | |
| Entry Configuration | - 21" Color Monitor - Creator Graphics - 128MB Memory - 4.2GB Disk | - 21" Color Monitor - Creator Graphics - 128MB Memory - 4.2GB Disk | - 21" Color Monitor - Creator Graphics - 256MB Memory - 4.2GB Disk |

Ultra 2 – Model 1300

Model 1300: One 300 MHz UltraSPARC-II, 2MB UltraCache

| Part Number | Description | List Price | Discount Category |
|--------------------|---|------------|-------------------|
| CREATOR | | | |
| A14-UEC1-17E-128AC | 21" color monitor, Creator, 128MB, 4.2GB internal Fast/Wide SCSI-2 disk | \$21,795 | A |
| CREATOR3D | | | |
| A14-UEC1-17H-128AC | 21" color monitor, Creator 3D Series 2, 128MB, 4.2GB internal Fast/Wide SCSI-2 disk | \$22,495 | A |
| A14-UEC1-7H-128AC | 24" color monitor, Creator 3D Series 2, 128MB, 4.2GB internal Fast/Wide SCSI-2 disk | \$24,390 | A |
| ELITE3D m6 | | | |
| A14-UEC1-17M-128AC | 21" color monitor, Elite3D m6, 128MB, 4.2GB internal Fast/Wide SCSI-2 disk | \$29,995 | A |

Upgrades:

| From | Part Number and Description | List Price | Discount Category |
|---|--|------------|-------------------|
| CREATOR UPGRADES | | | |
| Any SPARCstation | UGFSUEC1-17E-128AC Full system upgrade to Ultra 2/1300 with 21" color monitor, Creator, 128MB, 4.2GB fast int. disk. | \$19,295 | A* |
| SPARCstation 10 | UG10-UEC1-9E-128AC Chassis upgrade to Ultra 2/1300 with Creator, 128MB, 4.2GB fast internal disk | \$15,950 | A* |
| SPARCstation 20 | UG20-UEC1-9E-000NN Chassis upgrade to Ultra 2/1300 with Creator, no disk, no memory | \$13,100 | A* |
| Ultra 1 Model 140 / 170 | UA11-UEC1-9E-000NN Chassis upgrade to Ultra 2/1300 with Creator, no disk, no memory | \$11,600 | A* |
| CREATOR3D Series 2 UPGRADES | | | |
| Any SPARCstation | UGFS-UEC1-7H-128AC Full system upgrade to Ultra 2/1300 with 24" color monitor, Creator 3D Series 2, 128MB, 4.2GB fast internal disk. | \$20,295 | A* |
| SPARCstation 10 | UG10-UEC1-9H-128AC Chassis upgrade to Ultra 2/1300 with Creator3D Series 2, 128MB, 4.2GB fast internal disk. | \$16,650 | A* |
| SPARCstation 20 | UG20-UEC1-9H-000NN Chassis upgrade to Ultra 2/1300 with Creator 3D Series 2, no disk, no memory | \$13,795 | A* |
| ELITE3D UPGRADES | | | |
| Any SPARCstation | UGFSUEC1-17M-128AC Full system upgrade to Ultra 2/1300 with 21" color monitor, Elite3D, 128MB, 4.2GB fast internal disk. | \$28,495 | A* |
| SPARCstation 10 | UG10-UEC1-9M-128AC Chassis upgrade to Ultra 2/1300 with Elite3D, 128M, 4.2GB internal disk | \$27,495 | A* |
| SPARCstation 20 | UG20-UEC1-9M-000NN Chassis upgrade to Ultra 2/1300 with Elite3D, no disk, no memory | \$23,995 | A* |
| Ultra 1 Model 140 / 170 | UA11-UEC1-9M-000NN Chassis upgrade to Ultra 2/1300 with Elite3D, no disk, no memory | \$22,945 | A* |
| CHASSIS / MODULE UPGRADES | | | |
| Ultra 167-Mhz or 250-Mhz Module | UG-M1XXX-M300 Module upgrade to 300-Mhz Ultra 2/1300 module with 2-Mbyte E-cache and DC/DC conv.. | \$6,995 | A* |
| Ultra 2 Model 1170 / 1200 or similar | UG-M1XXX-M1300 Module upgrade to Ultra /1300, CPU only | \$6,995 | A* |
| Ultra 1 Model 170E, Ultra Enterprise 1, SPARCstation 20ZX | UA12-UEC1-9N-000NN Chassis upgrade to Ultra 2/1300 or Ultra Enterprise 2, no graphics, no disk, no memory | \$9,600 | A* |

NOTES: All Ultra 2 Model 1300 configurations require Solaris 2.5.1 or later Solaris 2.x release.

- The Ultra 2 systems are equipped with FastEthernet (100BaseT)/10BaseT via twisted pair. If connecting to other media with an external transceiver, it will need to connect to the MII connector.
- Order a Solaris Internet Access PlusPack (IAPP-2.0-P) at no charge with initial workstation order.
- The Ultra 2 systems have a 68 pin SCSI connector on the back panel. If narrow SCSI devices are to be connected, a conversion cable (50-68 pin) is needed (X903A or X904A).
- All systems orders that include a monitor must also include a Country Kit; refer to the "Country Kits" section in the End User Price Book.
- Sun Ultra 2 systems require 4 identical SIMMs in 4 memory banks.
- Type 4 keyboard is not supported.

NOTES for UPGRADES:

- Customer Returns:
 - Any SPARCstation:
 - System chassis (including CPU board and primary memory), monitor, frame buffer, and internal disk,
 - SPARCstation 10:
 - System chassis (including CPU board and primary memory), frame buffer, internal disk
 - SPARCstation 20, Ultra 1 Model 140/170:
 - System chassis (including CPU board), frame buffer
 - Ultra 2 systems require 4 identical SIMMs in 4 memory banks.
 - Ultra 167 Mhz or 250-Mhz Module:
 - Old UltraSPARC module
 - Ultra 2 Model 1170 or 1200
 - Old CPU
 - Ultra1 Model 170E, Ultra Enterprise 1, SPARCstation 20ZX
 - System chassis (including CPU board)

* Maximum discount may apply.

Ultra 2 – Model 2200

Model 2200: Two 200 MHz UltraSPARC-I, 1MB E-cache per CPU

| Part Number | Description | List Price | Discount Category |
|---------------------------|---|------------|-------------------|
| CREATOR | | | |
| A14-UCB2-17E-128AC | 21" color monitor, Creator graphics, 128MB, 4.2GB 7200 RPM internal disk. | \$22,995 | A |
| CREATOR3D Series 2 | | | |
| A14-UCB2-17H-128AC | 21" color monitor, Creator 3D Series 2 graphics, 128MB, 4.2GB 7200 RPM internal disk. | \$23,695 | A |

Upgrades:

| From | Part Number and Description | List Price | Discount Category |
|---|---|------------|-------------------|
| CREATOR UPGRADES | | | |
| Any SPARCstation | UFS-UCB2-17E-128AC Full system upgrade to Ultra 2 Model 2200 with 21" color monitor, Creator graphics, 128MB, 4.2GB internal disk, | \$20,495 | A* |
| SPARCstation 10 | US10UCB2-9E-128AC Chassis upgrade to Ultra 2 Model 2200 with Creator graphics, 128MB, 4.2GB fast internal disk | \$17,150 | A* |
| SPARCstation 20 | US20UCB2-9E-000NN Chassis upgrade to Ultra 2 Model 2200 with Creator graphics, no disk, no memory | \$16,300 | A* |
| Ultra 1 Model 140 / 170 | U11-UCB2-9E-000NN Chassis upgrade to Ultra 2 Model 2200 with Creator graphics, no disk, no memory | \$14,800 | A* |
| CREATOR3D UPGRADES | | | |
| Any SPARCstation | UFS-UCB2-17H-128AC Full system upgrade to Ultra 2 Model 2200 with 21" color monitor, Creator 3D Series 2 graphics, 128MB, 4.2GB internal disk | \$21,195 | A* |
| SPARCstation 10 | US10UCB2-9H-128AC Chassis upgrade to Ultra 2 Model 2200 with Creator3D Series 2 graphics, 128MB, 4.2GB internal disk. | \$18,150 | A* |
| SPARCstation 20 | US20UCB2-9H-000NN Chassis upgrade to Ultra 2 Model 2200 with Creator3D Series 2 graphics no disk, no memory | \$17,300 | A* |
| Ultra 1 Model 140 / 170 | U11-UCB2-9H-000NN Chassis upgrade to Ultra 2 Model 2200 with Creator3D Series 2 graphics, no disk, no memory | \$17,800 | A* |
| CHASSIS UPGRADE | | | |
| SPARCstation 20ZX, Ultra 1 – 170E, Ultra Enterprise 1 | U12-UCB2-9N-000NN Chassis upgrade to Ultra 2 Model 2200 or Ultra Enterprise 2 Model 2200, no memory, no disk. | \$12,800 | A* |

NOTES: All Ultra 2 Model 2200 configurations require Solaris 2.5.1 or later Solaris 2.x release.

- The Ultra 2 systems are equipped with FastEthernet (100BaseT)/10BaseT via twisted pair. If connecting to other media with an external transceiver, it will need to connect to the MII connector.
- The Ultra 2 systems have a 68 pin SCSI connector on the back panel. If narrow SCSI devices are to be connected, a conversion cable (50-68 pin) is needed (X903A or X904A). See Options section.
- Order a Solaris Internet Access PlusPack (IAPP-2.0-P) at no charge with initial workstation order.
- All systems orders that include a monitor must also include a Country Kit; refer to the "Country Kits" section in the End User Price Book.
- Sun Ultra 2 systems require 4 identical SIMMs in 4 memory banks.
- Type 4 keyboard is not supported.

NOTES FOR UPGRADES:

Customer Returns:

- Any SPARCstation:
System chassis (including CPU board and primary memory), monitor, frame buffer, and internal disk,
- SPARCstation 10:
System chassis (including CPU board and primary memory), frame buffer, internal disk
- SPARCstation 20, Ultra 1 Model 140/170:
- System chassis (including CPU board), frame buffer
- Ultra 2 systems require 4 identical SIMMs in 4 memory banks.
- Ultra 167 Mhz or 250-Mhz Module:
Old UltraSPARC module
- Ultra1 Model 170E, Ultra Enterprise 1, SPARCstation 20ZX
System chassis (including CPU board)

* Maximum discount may apply.

Ultra 2 – Model 2300

Model 2300: Two 300 MHz UltraSPARC-II, 2MB E-cache per CPU

| Part Number | Description | List Price | Discount Category |
|---------------------------|--|------------|-------------------|
| CREATOR | | | |
| A14-UEC2-17E-256AC | 21" color monitor, Creator graphics, 256MB, 4.2GB 7200 RPM internal disk. | \$31,195 | A |
| CREATOR3D Series 2 | | | |
| A14-UEC2-17H-256AC | 21" color monitor, Creator 3D Series 2 graphics, 256MB, 4.2GB 7200 RPM internal disk.. | \$31,895 | A |
| A14-UEC2-17H-512AC | 21" color monitor, Creator 3D Series 2 graphics, 512MB, 4.2GB 7200 RPM internal disk. | \$35,095 | A |
| A14-UEC2-7H-256AC | 24" color monitor, Creator 3D Series 2 graphics, 256MB, 4.2GB 7200 RPM internal disk. | \$33,795 | A |
| ELITE3D m6 | | | |
| A14-UEC2-17M-256AC | 21" color monitor, Elite3D graphics, 256MB, 4.2GB 7200 RPM internal disk. | \$39,395 | A |

Upgrades:

| From | Part Number and Description | List Price | Discount Category |
|---------------------------------------|--|------------|-------------------|
| CREATOR UPGRADES | | | |
| SPARCstation 10 | UG10-UEC2-9E-256AC Chassis upgrade to Ultra 2 Model 2300 with Creator graphics, 256MB, 4.2GB internal disk | \$25,350 | A* |
| SPARCstation 20 | UG20-UEC2-9E-000AC Chassis upgrade to Ultra 2 Model 2300 with Creator graphics, 4.2GB internal disk, no memory | \$23,200 | A* |
| CREATOR3D UPGRADES | | | |
| Any SPARCstation | UGFS-UEC2-7H-256AC Full system upgrade to Ultra 2 Model 2300 with 24" color monitor, Creator 3D Series 2 graphics, 256MB, 4.2GB internal disk. | \$31,295 | A* |
| SPARCstation 10 | UG10-UEC2-9H-256AC Chassis upgrade to Ultra 2 Model 2300 with Creator3D Series 2 graphics, 256MB, 4.2GB fast internal disk | \$26,050 | A* |
| SPARCstation 20 | UG20-UEC2-9H-512AC Chassis upgrade to Ultra 2 Model 2300 with Creator3D Series 2 graphics, 512MB, 4.2GB internal disk | \$24,900 | A* |
| Ultra 1 – 140 or 170 | UA11-UEC2-9H-000NN Chassis upgrade to Ultra 2 Model 2300 with Creator 3D Series 2 graphics, no memory, no disk | \$21,700 | A* |
| CHASSIS UPGRADE | | | |
| Ultra 1 – 170E, Ultra Enterprise 1 | UA12-UEC2-9N-000NN Chassis upgrade to Ultra 2 Model 2300 or Ultra Enterprise 2 Model 2300, no frame buffer, no memory, no disk | \$19,200 | A* |

NOTES: All Ultra 2 Model 2300 configurations require Solaris 2.5.1 or later Solaris 2.x release.

- The Ultra 2 systems have a 68 pin SCSI connector on the back panel. If narrow SCSI devices are to be connected, a conversion cable (50-68 pin) is needed (X903A or X904A). See Accessories section.
- All systems orders that include a monitor must also include a Country Kit; refer to the "Country Kits" section in the End User Price Book.
- Sun Ultra 2 systems require 4 identical SIMMs in 4 memory banks.
- Type 4 keyboard is not supported.
- Order additional memory, internal or external storage options as separate line items.


NOTES FOR UPGRADES:

Customer Returns:

- Any SPARCstation:
System chassis (including CPU board and primary memory), monitor, frame buffer, and internal disk,
- SPARCstation 10:
System chassis (including CPU board and primary memory), frame buffer, internal disk
- SPARCstation 20, Ultra 1 Model 140/170:
System chassis (including CPU board), frame buffer
- Ultra1 Model 170E, Ultra Enterprise 1
System chassis (including CPU board)

* Maximum discount may apply.

Ultra 5 - Model 270

| | |
|--|--|
|  | |
| Ultra 5 Model 270 | |
| Packaging | Desktop |
| Performance No. of processors Architecture Clock speed External cache | 1 UltraSPARC-IIi 270MHz 256KB |
| Memory | 64MB - 512MB |
| Performance SPECint95 SPECfp95 SPECbase_int95 SPECbase_fp95 | 9.16 10.10 7.42 9.15 |
| Expansion | 3 PCI @ 33MHz (2 long, 1 short) |
| Internal Disk Storage | 4.3GB EIDE |
| External Tape Backup | 2.5GB QIC; 4-8GB DDS-2 4mm tape; 12-24GB 8mm DDS-3; 20-40GB 8mm; 2-144GB 4mm DDS-3 autoloader; SSL Model 8/140; 35-70GB DLT7000 |
| Internal Data Interchange/ Software Dist./ Backup | 24x CD-ROM (optional) 1.44MB floppy |
| Networking standards | 10/100Base-T Ethernet PCI bus based options |
| Other | 2x serial, 1 parallel 16-bit audio rack-mountable |
| Graphics | Onboard PGX 8-bit |
| Solaris License | Solaris 2.5.1: 11/97 or later Solaris 2.6: 3/98 |
| Entry configuration | Onboard PGX 8-bit 64MB memory 4.3GB disk 1.44MB floppy |

Step 1: Choose an Ultra 5 Part Number*Model 270: One 270 MHz UltraSPARC-IIi, 256KB E-cache, Onboard PGX Graphics*

| Part Number | Description | List Price | Discount Category |
|-------------------|---|------------|-------------------|
| A21-UFE1*9J-64AG | PGX graphics, 64MB, 4.3GB disk, floppy | \$2,995 | H |
| A21-UFE1*9J-128AG | PGX graphics, 128MB, 4.3GB disk, floppy | \$3,495 | H |
| A21-UFE1*9J-128CG | PGX graphics, 128MB, 4.3GB disk, floppy, 24x CD-ROM | \$3,595 | H |
| A21-UFE1*9J-256CG | PGX graphics, 256MB, 4.3GB disk, floppy, 24x CD-ROM | \$4,495 | H |

Step 2: Choose a Country Kit Code and substitute the * of the Part Number with the Code
(e.g. A21-UFE1A9J-64AG = Ultra 5 with North American UNIX Country Kit)

| Code | Country Kit | Code | Country Kit |
|------|---------------------|------|----------------|
| A | North American UNIX | F | French |
| B | Japanese Language | G | Swedish |
| C | Japanese Logoless | Y | Universal UNIX |
| D | German | Z | No Country Kit |
| E | United Kingdom | | |

Step 3: Choose a monitor (REQUIRED with all system orders)

| MONITORS | | | |
|----------|---|---------|---|
| X7103A | 17-inch entry color monitor | \$900 | A |
| X119A | 19-inch color monitor | \$1,400 | A |
| X7121A | 21-inch color monitor (requires X470A) | \$2,100 | A |
| X470A | Video connector adapter: 13W3F to HD15M | \$55 | A |

Upgrades:

| Part Number | Description | List Price | Discount Category |
|---|--|------------|-------------------|
| SPARCstation 1/1+/2, SLC, ELC, LX, IPC, IPX, SPARCclassic | UG-SS2-UFE1A9J64AG Upgrade to Ultra 5 Model 270, PGX graphics, 64MB, 4.3GB internal disk, 10/100BaseT Ethernet, North American UNIX Country Kit | \$2,745 | H* |
| SPARCstation 1/1+/2, SLC, ELC, LX, IPC, IPX, SPARCclassic | UG-SS2UFE1A9J256CG Upgrade to Ultra 5 Model 270, PGX graphics, 256MB, 4.3GB internal disk, 24x CD-ROM, 10/100BaseT Ethernet, North American UNIX Country Kit | \$4,245 | H* |
| SPARCstation 4/5 | UG-S5-UFE1Z9J-64AG Upgrade to Ultra 5 Model 270, PGX graphics, 64MB, 4.3GB internal disk, 10/100BaseT Ethernet, no Country Kit | \$2,495 | H* |
| SPARCstation 4/5 | UG-S5-UFE1Z9J256CG Upgrade to Ultra 5 Model 270, PGX graphics, 256MB, 4.3GB internal disk, 10/100BaseT Ethernet, no Country Kit | \$3,995 | H* |

NOTES FOR UPGRADES:


- Customer Returns:

SPARCstation 1/1+/4/5, SLC, ELC, LX, IPC, IPX, or SPARCclassic:

System chassis (including CPU board and primary memory), Frame buffer, Internal disk

* Maximum discount may apply.

Ultra 10 - Model 300

| | | |
|--|--|-------------------------------|
|  | | Ultra 10 Model 300 |
| Packaging | Desktop | |
| Performance No. of processors Architecture Clock speed External cache | 1 UltraSPARC-IIi 300MHz 512KB | |
| Memory | 64MB - 512MB | |
| Performance SPECint95 SPECfp95 SPECbase_int95 SPECbase_fp95 | 12.1 12.9 9.5 12.1 | |
| Expansion | 1 UPA @ 100MHz 4 PCI @ 33MHz (long) | |
| Internal Disk Storage | 4.3GB - 8.6GB EIDE interface | |
| External Tape Backup | 2.5GB QIC, 4-8GB DDS-2 4mm tape, 12-24GB 8mm DDS-3, 20-40GB 8mm, 72-144GB 4mm DDS-3 Auto- loader, SSL Model 8/140, 35- 70GB DLT7000 | |
| Internal Data Interchange/ Software Dist./ Backup | 24x CD-ROM 1.44MB floppy | |
| Networking standards | 10/100Base-T Ethernet PCI bus based options | |
| Other | 2x serial, 1 parallel 16-bit audio rack-mountable | |
| Graphics | Creator, Creator3D, Elite3D-m3, Onboard PGX 8-bit | |
| Solaris License | Solaris 2.5.1: 11/97 Solaris 2.6: 3/98 | |
| Entry configuration | Onboard PGX 8-bit 64MB memory 4.3GB disk 1.44MB floppy | |

Step 1: Choose an Ultra 10 Part Number

Model 300: One 300MHz UltraSPARC-IIi, 512KB E-cache

| Part Number | Description | List Price | Discount Category |
|----------------------------|--|------------|-------------------|
| PGX | | | |
| A22-UEA1*9J-64AG | PGX graphics, 64MB, 4.3GB internal disk, floppy | \$5,595 | H |
| A22-UEA1*9J-128CG | PGX graphics, 128MB, 4.3GB internal disk, 24x CD-ROM, floppy | \$6,195 | H |
| A22-UEA1*9J-256CG | PGX graphics, 256MB, 4.3GB internal disk, 24x CD-ROM, floppy | \$7,095 | H |
| A22-UEA1*9J-512CG | PGX graphics, 512MB, 4.3GB internal disk, 24x CD-ROM, floppy | \$8,995 | H |
| CREATOR Series 3 | | | |
| A22-UEA1*9K-64AG | Creator, 64MB, 4.3GB internal disk, floppy | \$6,395 | H |
| A22-UEA1*9K-128CG | Creator, 128MB, 4.3GB internal disk, 24x CD-ROM, floppy | \$6,995 | H |
| A22-UEA1*9K-256CG | Creator, 256MB, 4.3GB internal disk, 24x CD-ROM, floppy | \$7,895 | H |
| A22-UEA1*9K-512CG | Creator, 512MB, 4.3GB internal disk, 24x CD-ROM, floppy | \$9,795 | H |
| CREATOR 3D Series 3 | | | |
| A22-UEA1*9L-64AG | Creator 3D, 64MB, 4.3GB internal disk, floppy | \$6,895 | H |
| A22-UEA1*9L-128CG | Creator 3D, 128MB, 4.3GB internal disk, 24x CD-ROM, floppy | \$7,495 | H |
| A22-UEA1*9L-256CG | Creator 3D, 256MB, 4.3GB internal disk, 24x CD-ROM, floppy | \$8,395 | H |
| A22-UEA1*9L-512CG | Creator 3D, 512MB, 4.3GB internal disk, 24x CD-ROM, floppy | \$10,295 | H |
| ELITE 3D m3 | | | |
| A22-UEA1*9Q-128CG | Elite 3D, 128MB, 4.3GB internal disk, 24x CD-ROM, floppy | \$10,395 | H |
| A22-UEA1*9Q-256CG | Elite 3D, 256MB, 4.3GB internal disk, 24x CD-ROM, floppy | \$11,295 | H |
| A22-UEA1*9Q-512CG | Elite 3D, 512MB, 4.3GB internal disk, 24x CD-ROM, floppy | \$13,195 | H |

Step 2: Choose a Country Kit Code and substitute the * of the Part Number with the Code (e.g. A22-UEA1A9J-64AG = Ultra 10 with North American UNIX Country Kit)

| Code | Country Kit | Code | Country Kit |
|------|---------------------|------|----------------|
| A | North American UNIX | F | French |
| B | Japanese Language | G | Swedish |
| C | Japanese Logoless | Y | Universal UNIX |
| D | German | Z | No Country Kit |
| E | United Kingdom | | |

Step 3: Choose a monitor (REQUIRED with all system orders)

| MONITORS | | | |
|-----------------|--|---------|---|
| X7103A | 17-inch entry color monitor (req. X3872A with Creator, Creator3D, and Elite3D-m3) | \$900 | A |
| X119A | 19-inch color monitor (req. X3872A with Creator, Creator3D, and Elite3D-m3) | \$1,400 | A |
| X7121A | 21-inch color monitor (requires X470A with PGX) | \$2,100 | A |
| X7124A | 24-inch color monitor | | |
| X470A | Video connector adapter: 13W3F to HD15M | \$55 | A |
| X382A | Video connector adapter: HD15F to 13W3M | \$45 | A |

NOTES:

- Requires Solaris 2.5.1 Hardware 11/97, Solaris 2.6 Hardware 3/98, or later Solaris 2.x release.

Upgrades on next page.

Ultra 10 - Model 300 (Upgrades)

Model 300: One 300MHz UltraSPARC-IIi, 512KB E-cache

Upgrades:

| Part Number | Description | List Price | Discount Category |
|---|--|------------|-------------------|
| PGX Upgrades | | | |
| SPARCstation 1/1+/2, SLC, ELC, LX, IPC, IPX, SPARCclassic | UG-SS2-UEA1A9J64AG Upgrade to Ultra 10 Model 300, PGX graphics, 64MB, 4.3GB internal disk, 10/100BaseT Ethernet, North American UNIX Country Kit | \$5,095 | H* |
| SPARCstation 1/1+/2, SLC, ELC, LX, IPC, IPX, SPARCclassic | UG-SS2-UEA1A9J256CG Upgrade to Ultra 10 Model 300, PGX graphics, 256MB, 4.3GB internal disk, 24x CD-ROM, 10/100BaseT Ethernet, North American UNIX Country Kit | \$6,595 | H* |
| SPARCstation 4/5 | UG-S5-UEA1Z9J-64AG Upgrade to Ultra 10 Model 300, PGX graphics, 64MB, 4.3GB internal disk, 10/100BaseT Ethernet, no Country Kit | \$4,845 | H* |
| SPARCstation 4/5 | UG-S5-UEA1Z9J256CG Upgrade to Ultra 10 Model 300, PGX graphics, 256MB, 4.3GB internal disk, 24x CD-ROM, 10/100BaseT Ethernet, no Country Kit | \$6,245 | H* |
| SPARCstation 10/20 | UG-S20-UEA1Z9J64AG Upgrade to Ultra 10 Model 300, PGX graphics, 64MB, 4.3GB internal disk, 10/100BaseT Ethernet, no Country Kit | \$4,695 | H* |
| SPARCstation 10/20 | UG-S20-UEA1Z9J256CG Upgrade to Ultra 10 Model 300, PGX graphics, 256MB, 4.3GB internal disk, 24x CD-ROM, 10/100BaseT Ethernet, no Country Kit | \$6,195 | H* |
| CREATOR Series 3 Upgrades | | | |
| SPARCstation 1/1+/2, SLC, ELC, LX, IPC, IPX, SPARCclassic | U-SS2-UEA1A9K-64AG Upgrade to Ultra 10 Model 300, Creator graphics, 64MB, 4.3GB internal disk, 10/100BaseT Ethernet, North American UNIX Country Kit | \$5,895 | H* |
| SPARCstation 4/5 | UG-S5-UEA1Z9K-64AG Upgrade to Ultra 10 Model 300, Creator graphics, 64MB, 4.3GB internal disk, 10/100BaseT Ethernet, no Country Kit | \$5,595 | H* |
| SPARCstation 4/5 | UG-S5-UEA1Z9K256CG Upgrade to Ultra 10 Model 300, Creator graphics, 256MB, 4.3GB internal disk, 24x CD-ROM, 10/100BaseT Ethernet, no Country Kit | \$6,995 | H* |
| SPARCstation 10/20 | UG-S20-UEA1Z9K-64AG Upgrade to Ultra 10 Model 300, Creator graphics, 64MB, 4.3GB internal disk, 10/100BaseT Ethernet, no Country Kit | \$5,445 | H* |
| SPARCstation 10/20 | UG-S20-UEA1Z9K256CG Upgrade to Ultra 10 Model 300, Creator graphics, 256MB, 4.3GB internal disk, 24x CD-ROM, 10/100BaseT Ethernet, no Country Kit | \$6,695 | H* |
| Ultra 1 | UG-U1-UEA1Z9K-64AG Upgrade to Ultra 10 Model 300, Creator graphics, 64MB, 4.3GB internal disk, 10/100BaseT Ethernet, no Country Kit | \$5,395 | H* |
| Ultra 1 | UG-U1-UEA1Z9K256CG Upgrade to Ultra 10 Model 300, Creator graphics, 256MB, 4.3GB internal disk, 24x CD-ROM, 10/100BaseT Ethernet, no Country Kit | \$6,395 | H* |

NOTES FOR UPGRADES:

- Customer Returns:

SPARCstation 1/1+/4/5/10/20, SLC, ELC, LX, IPC, IPX, or SPARCclassic, Ultra 1:

- System chassis (including CPU board and primary memory)
- Frame buffer
- Internal disk

* Maximum discount may apply.

Ultra 10 - Model 300 (Upgrades Cont.)

Model 300: One 300MHz UltraSPARC-IIi, 512KB E-cache

Upgrades:

| Part Number | Description | List Price | Discount Category |
|-------------------------------------|---|------------|-------------------|
| CREATOR 3D Series 3 Upgrades | | | |
| SPARCstation 4/5 | UG-S5-UEA1Z9L-64AG Upgrade to Ultra 10 Model 300, Creator3D graphics, 64MB, 4.3GB internal disk, 10/100BaseT Ethernet, no Country Kit | \$6,095 | H* |
| SPARCstation 4/5 | UG-S5-UEA1Z9L256CG Upgrade to Ultra 10 Model 300, Creator3D graphics, 256MB, 4.3GB internal disk, 24x CD-ROM, 10/100BaseT Ethernet, no Country Kit | \$7,395 | H* |
| SPARCstation 10/20 | U-S20-UEA1Z9L-64AG Upgrade to Ultra 10 Model 300, Creator3D graphics, 64MB, 4.3GB internal disk, 10/100BaseT Ethernet, no Country Kit | \$5,945 | H* |
| SPARCstation 10/20 | UG-S20-UEA1Z9L256CG Upgrade to Ultra 10 Model 300, Creator3D graphics, 256MB, 4.3GB internal disk, 24x CD-ROM, 10/100BaseT Ethernet, no Country Kit | \$7,095 | H* |
| Ultra 1 | UG-U1-UEA1Z9L-64AG Upgrade to Ultra 10 Model 300, Creator3D graphics, 64MB, 4.3GB internal disk, 10/100BaseT Ethernet, no Country Kit | \$5,795 | H* |
| Ultra 1 | UG-U1-UEA1Z9L256CG Upgrade to Ultra 10 Model 300, Creator3D graphics, 256MB, 4.3GB internal disk, 24x CD-ROM, 10/100BaseT Ethernet, no Country Kit | \$6,595 | H* |
| ELITE 3D m3 Upgrades | | | |
| SPARCstation 4/5 | UG-S5-UEA1Z9Q-128CG Upgrade to Ultra 10 Model 300, Elite3D graphics, 128MB, 4.3GB internal disk, 24x CD-ROM, 10/100BaseT Ethernet, no Country Kit | \$9,195 | H* |
| SPARCstation 4/5 | UG-S5-UEA1Z9Q-512CG Upgrade to Ultra 10 Model 300, Elite3D graphics, 512MB, 4.3GB internal disk, 24x CD-ROM, 10/100BaseT Ethernet, no Country Kit | \$11,795 | H* |
| SPARCstation 10/20 | UGS20UEA1Z9Q-128CG Upgrade to Ultra 10 Model 300, Elite3D graphics, 128MB, 4.3GB internal disk, 24x CD-ROM, 10/100BaseT Ethernet, no Country Kit | \$8,895 | H* |
| SPARCstation 10/20 | UGS20UEA1Z9Q-512CG Upgrade to Ultra 10 Model 300, Elite3D graphics, 512MB, 4.3GB internal disk, 24x CD-ROM, 10/100BaseT Ethernet, no Country Kit | \$11,495 | H* |
| Ultra 1 | UGU1-UEA1Z9Q-128CG Upgrade to Ultra 10 Model 300, Elite3D graphics, 128MB, 4.3GB internal disk, 24x CD-ROM, 10/100BaseT Ethernet, no Country Kit | \$8,395 | H* |
| Ultra 1 | UGU1-UEA1Z9Q-512CG Upgrade to Ultra 10 Model 300, Elite3D graphics, 512MB, 4.3GB internal disk, 24x CD-ROM, 10/100BaseT Ethernet, no Country Kit | \$10,895 | H* |

NOTES FOR UPGRADES:

- Customer Returns:

SPARCstation 1/1+/4/5/10/20, SLC, ELC, LX, IPC, IPX, or
SPARCclassic:


System chassis (including CPU board and primary memory)

Frame buffer

Internal disk

* Maximum discount may apply.

Ultra 30 - Overview

| | | |
|--|---|---------------|
| |  <p style="text-align: center;">Ultra 30</p> | |
| | Model 250 | Model 300 |
| Performance | | |
| No. of processors | 1 | 1 |
| Architecture | UltraSPARC-II | UltraSPARC-II |
| Clock speed | 248 MHz | 296 MHz |
| External cache | 1MB | 2MB |
| Memory | 128MB—2GB | |
| Performance | | |
| SPECint95 | 10.0 | 12.1 |
| SPECfp95 | 14.9 | 18.3 |
| SPECbase_int95 | 8.6 | 10.2 |
| SPECbase_fp95 | 13.6 | 16.2 |
| Expansion | 2 UPA @ 100MHz 1 PCI @ 66/33-MHz/64-bit 3 PCI @ 33-MHz/64-bit UltraSCSI | |
| Internal Disk Storage | 4.2GB - 18.2GB UltraSCSI | |
| External Tape Backup | 2.5GB QIC, 4-8GB DDS-2 4mm tape, 12-24GB 8mm DDS-3, 20-40GB 8mm, 72-144GB 4mm DDS-3 Autoloader, SSL Model 8/140, 35-70GB DLT7000 | |
| Internal Data Interchange/ Software Dist./ Backup | 12-24GB DDS-3 4mm tape, 14GB 8mm tape, 12x CD-ROM, 1.44MB floppy | |
| Networking standards | 10/100Base-T Ethernet PCI bus based options | |
| Other | 2x serial, 1 parallel 16-bit audio rack-mountable | |
| Graphics | Creator, Creator3D, Elite3D-m3, Elite3D-m6 | |
| Solaris License | Solaris 2.5.1: 4/97 Solaris 2.6: 3/98 | |
| Entry configuration | 21" monitor (24" optional) Creator series 3 128MB memory 4.2GB disk | |

Ultra 30 - Model 250

Model 250: One 250 MHz Ultra SPARC-II, 1MB E-cache

| Part Number | Description | List Price | Discount Category |
|---------------------------|---|------------|-------------------|
| CREATOR Series 3 | | | |
| A16UDB1-17K-128AC | 21" color monitor, Creator Series 3 graphics, 128MB, 4.2GB Ultra F/W SCSI-2 disk | \$13,995 | A |
| CREATOR3D Series 3 | | | |
| A16UDB1-17L-128AC | 21" color monitor, Creator 3D Series 3 graphics, 128MB, 4.2GB Ultra F/W SCSI-2 disk | \$14,695 | A |
| A16-UDB1-7L-128AC | 24" color monitor, Creator 3D Series 3 graphics, 128MB, 4.2GB Ultra F/W SCSI-2 disk | \$16,595 | A |

NOTES: Ultra 30 workstation configurations require Solaris 2.5.1 hardware: 4/97 or greater.

- The Ultra 30 systems are equipped with FastEthernet (100BaseT)/10BaseT via twisted pair. If connecting to other media with an external transceiver, it will need to connect to the MII connector.
- The Ultra 30 systems have a 68 pin SCSI connector on the back panel. If narrow SCSI devices are to be connected, a conversion cable (50-68 pin) is needed (X903A or X904A). See Accessories section.

Upgrades:

| From | Part Number and Description | List Price | Discount Category |
|---------------------------------------|--|------------|-------------------|
| CREATOR Series 3 | | | |
| Any SPARCstation | UGFS6UDB117K-128AC Full system upgrade to Ultra 30 Model 250, 21" color monitor, Creator Series 3, 128MB, 4.2GB disk | \$10,995 | A* |
| Ultra 1, Ultra 2 | UG14-6UDB19K-000NN Chassis upgrade to Ultra 30 Model 250, Creator Series 3, no memory, no disk | \$6,995 | A* |
| UltraSPARC, SPARCstation 20 | UG14-6UDB19K-000AC Chassis upgrade to Ultra 30 Model 250, Creator Series 3, 4.2GB disk, no memory | \$7,995 | A* |
| UltraSPARC, SPARCstation 5, 10, or 20 | UG14-6UDB19K-128AC Chassis upgrade to Ultra 30 Model 250, Creator Series 3, 128MB, 4.2GB disk | \$9,995 | A* |
| CREATOR 3D Series 3 | | | |
| Any SPARCstation | UGFS-6UDB17L-128AC Full system upgrade to Ultra 30 Model 250, 24" color monitor, Creator3D Series 3, 128MB, 4.2GB disk | \$13,595 | A* |
| Ultra 1, Ultra 2 | UG14-6UDB19L-000NN Chassis upgrade to Ultra 30 Model 250, Creator3D Series 3, no memory, no disk | \$7,695 | A* |
| UltraSPARC, SPARCstation 20 | UG14-6UDB19L-000AC Chassis upgrade to Ultra 30 Model 250, Creator3D Series 3, 4.2GB disk, no memory | \$8,695 | A* |

NOTES FOR UPGRADES:

Customer Returns:

- Any SPARCstation:
System chassis (including CPU board and primary memory), monitor, frame buffer, and internal disk,
- UltraSPARC, SPARCstation 5, 10, 20:
System chassis (including CPU board and primary memory), frame buffer, internal disk
- UltraSPARC, SPARCstation 20:
System chassis (including CPU board), frame buffer, internal disk
- Ultra 1, Ultra 2
System chassis (including CPU board), frame buffer
- Ultra 167 Mhz or 250-Mhz Module:
Old UltraSPARC module

Ultra 30 - Model 300

Model 300: One 300 MHz / 2MB Ultra SPARC-II

| Part Number | Description | List Price | Discount Category |
|----------------------------|---|------------|-------------------|
| CREATOR Series 3 | | | |
| A16UEC1-17K-128AC | 21" color monitor, Creator Series 3 graphics, 128MB, 4.2GB Ultra F/W SCSI-2 disk | \$16,995 | A |
| A16UEC1-17K-512AC | 21" color monitor, Creator Series 3 graphics, 512MB, 4.2GB Ultra F/W SCSI-2 disk | \$21,315 | A |
| CREATOR 3D Series 3 | | | |
| A16UEC1-17L-128AC | 21" color monitor, Creator 3D Series 3 graphics, 128MB, 4.2GB Ultra F/W SCSI-2 disk | \$17,695 | A |
| A16UEC1-17L-512AC | 21" color monitor, Creator 3D Series 3 graphics, 512MB, 4.2GB Ultra F/W SCSI-2 disk | \$22,015 | A |
| A16-UEC1-7L-128AC | 24" color monitor, Creator 3D Series 3 graphics, 128MB, 4.2GB Ultra SCSI-2 disk | \$19,595 | A |
| ELITE3D m3 | | | |
| A16UEC1-17Q-128AC | 21" color monitor, Elite3D m3 graphics, 128MB, 4.2GB Ultra F/W SCSI-2 disk | \$21,695 | A |
| ELITE3D m6 | | | |
| A16UEC1-17M-128AC | 21" color monitor, Elite3D m6 graphics, 128MB, 4.2GB Ultra F/W SCSI-2 disk | \$25,195 | A |

NOTES:

- All systems ship with the appropriate Solaris Desktop license.
- Requires Solaris 2.5.1 Hardware 4/97, Solaris 2.6 or later Solaris 2.x release.
- Packages with internal disks are delivered with JumpStart pre-installed, allowing automatic, customized installation from the Solaris 2.x CD-ROM. All systems must have access to Solaris media.
- Ultra 30 systems are equipped with FastEthernet (100BaseT) or 10BaseT via twisted-pair. If connecting to other media with an external transceiver, it will need to connect to the MII connector.
- Ultra 30 systems have a wide SCSI connector on the back panel (68-pin). If narrow SCSI devices are to be connected to the onboard SCSI interface a wide-to-narrow conversion cable (68-5n) is needed.

Upgrades on next page.

Ultra 30 - Model 300 (Upgrades)

Upgrades:

| From | Part Number and Description | List Price | Discount Category |
|---------------------------------------|--|------------|-------------------|
| CREATOR Series 3 | | | |
| Any SPARCstation | UGFS6UEC117K-128AC Full system upgrade to Ultra 30 Model 300, 21" color monitor, Creator Series 3, 128MB, 4.2GB disk | \$12,995 | A |
| Ultra 1, Ultra 2 | UG14-6UEC19K-000NN Chassis upgrade to Ultra 30 Model 300, Creator Series 3, no memory, no disk | \$8,995 | A |
| UltraSPARC, SPARCstation 20 | UG14-6UEC19K-000AC Chassis upgrade to Ultra 30 Model 300, Creator Series 3, 4.2GB disk, no memory | \$9,995 | A |
| UltraSPARC, SPARCstation 5, 10, or 20 | UG14-6UEC19K-128AC Chassis upgrade to Ultra 30 Model 250, Creator Series 3, 128MB, 4.2GB disk | \$11,995 | A |
| CREATOR 3D Series 3 | | | |
| Any SPARCstation | UGFS6UEC117L-128AC Full system upgrade to Ultra 30 Model 300, 21" color monitor, Creator3D Series 3, 128MB, 4.2GB disk | \$13,695 | A |
| Any SPARCstation | UGFS-6UEC17L-128AC Full system upgrade to Ultra 30 Model 300, 24" color monitor, Creator3D Series 3, 128MB, 4.2GB disk | \$15,595 | A |
| Ultra1, Ultra 2 | UG14-6UEC19L-000NN Chassis upgrade to Ultra 30 Model 300, Creator3D Series 3, no memory, no disk | \$9,695 | A |
| UltraSPARC, SPARCstation 20 | UG14-6UEC19L-000AC Chassis upgrade to Ultra 30 Model 300, Creator3D Series 3, 4.2GB disk, no memory | \$10,695 | A |
| UltraSPARC, SPARCstation 5, 10, or 20 | UG14-6UEC19L-512AC Chassis upgrade to Ultra 30 Model 300, Creator3D Series 3, 512MB, 4GB disk | \$17,015 | A |
| SPARCstation 10, or 20 | UG20-3UEC19L-128AC Chassis upgrade to Ultra 30 Model 300, Creator3D Series 3, 128MB, 4GB disk | \$9,795 | H |
| ELITE3D | | | |
| Any SPARCstation | UGFS6UEC117Q-128AC Full system upgrade to Ultra 30 Model 300, 21" color monitor, Elite3D m3, 128MB, 4.2GB disk | \$19,195 | A |
| Any SPARCstation | UGFS6UEC117M-128AC Full system upgrade to Ultra 30 Model 300, 21" color monitor, Elite3D m6, 128MB, 4.2GB disk | \$22,965 | A |
| UltraSPARC, SPARCstation 5, 10, or 20 | UG14-6UEC19Q-128AC Chassis upgrade to Ultra 30 Model 300, Elite3D m3, 128MB, 4GB disk | \$17,695 | A |
| UltraSPARC, SPARCstation 5, 10, or 20 | UG14-6UEC19M-128AC Chassis upgrade to Ultra 30 Model 300, Elite3D m6, 128MB, 4GB disk | \$21,195 | A |
| MODULE UPGRADE | | | |
| Ultra 167Mhz or 250Mhz | UG-MXXX-M300 Module upgrade from any 167 or 250Mhz module to 300Mhz UltraSPARC-2, 2MB E-cache, DC/DC | \$6,995 | A |
| Ultra 30 Model 250 | UG-A16-M250-M300 Module upgrade from 250MHz to 300MHz | \$5,995 | A |

NOTES FOR UPGRADES:

Customer Returns:

Any SPARCstation:

System chassis (including CPU board and primary memory), monitor, frame buffer, and internal disk,

UltraSPARC, SPARCstation 5, 10, 20:

System chassis (including CPU board and primary memory), frame buffer, internal disk

UltraSPARC, SPARCstation 20:

System chassis (including CPU board), frame buffer, internal disk


Ultra 1, Ultra 2

System chassis (including CPU board), frame buffer

Ultra 167 Mhz or 250-Mhz Module:

Old UltraSPARC module

Ultra 60 Workstation



Ultra 60

| | Model 300 | Model 2300 |
|----------------------------|---|--|
| Performance | | |
| No. of processors | 1 | 2 |
| Architecture | UltraSPARC-II | UltraSPARC-II |
| Clock speed | 296 MHz | 296 MHz |
| External cache | 2MB | 2MB |
| Memory | 128MB-2GB | 128MB-2GB |
| Performance | | |
| SPECint95 | 13.0 | 13.0 |
| SPECfp95 | 18.3 | 23.5 |
| SPECbase_int95 | 10.3 | 10.5 |
| SPECbase_fp95 | 16.5 | 20.2 |
| Disk Storage | 4.2–18.2GB UltraSCSI | |
| Internal | UltraSCSI & PCI bus based expansion | |
| External | | |
| I/O Architecture | 2 UPA @ 100/120MHz | |
| UPA | 1 CPI @ 66/33MHz | |
| CPI | 3 CPI @ 33MHz | |
| Internal Data | 12-24GB DDS-3 4mm tape | |
| Interchange/ | 14GB 8mm tape | |
| Software | 3.5" floppy | |
| Dist./Backup | 12x CD-ROM | |
| External Tape | 2.5GB QIC, 4-8GB DDS-2 4mm tape, | |
| Backup | 12-24GB 8mm DDS-3, 20-40GB 8mm, | |
| | 72-144GB 4mm DDS-3 Autoloader, | |
| | SSL Model 8/140, 35-70GB DLT7000 | |
| Networking | 10/100Base-T Ethernet | |
| Standards | PCI bus based options | |
| Other | 1.44MB floppy | |
| | 2x serial, 1 parallel | |
| | 16-bit audio | |
| | rack-mountable | |
| Graphics | Creator, Creator3D, | |
| | Elite3D-m3, Elite3D-m6 | |
| Solaris License | Solaris 2.5.1 H/W 11/97; Solaris 2.6 H/W 3/98 | |
| Entry configuration | Creator3D-3 128MB mem 4.2GB disk | Creator3D-3 256MB mem 4.2GB disk |

| Part Number | Description | List Price | Discount Category |
|---|--|------------|-------------------|
| Model 300: One 300MHz UltraSPARC-II, 1MB UltraCache | | | |
| A23-UEC1-9L-128AC | Creator3D series 3, 128MB, 4.2GB, 7200 RPM internal disk | \$13,295 | H |
| A23-UEC1-9L-512AC | Creator3D series 3, 512MB, 4.2GB, 7200 RPM internal disk | \$16,450 | H |
| A23-UEC1-9Q-128AC | Elite3D m3, 128MB, 4.2GB, 7200 RPM internal disk | \$16,220 | H |
| A23-UEC1-9M-128AC | Elite3D m6, 128MB, 4.2GB, 7200 RPM internal disk | \$18,780 | H |
| Model 2300: Two 300MHz UltraSPARC-II, 1MB UltraCache per CPU | | | |
| A23-UEC2-9L-256AC | Creator3D series 3, 256MB, 4.2GB, 7200 RPM internal disk | \$20,170 | H |
| A23-UEC2-9L-512AC | Creator3D series 3, 512MB, 4.2GB, 7200 RPM internal disk | \$22,310 | H |
| A23-UEC2-9Q-256AC | Elite3D m3, 256MB, 4.2GB, 7200 RPM internal disk | \$23,100 | H |
| A23-UEC2-9M-256AC | Elite3D m6, 256MB, 4.2GB, 7200 RPM internal disk | \$25,660 | H |
| A23-UEC2-9M-512AC | Elite3D m6, 512MB, 4.2GB, 7200 RPM internal disk | \$27,795 | H |

| Monitors (REQUIRED with all system orders) | | | |
|---|---|---------|---|
| X7119A | 19" color monitor (also order X3872A video adapter cable) | \$1,400 | A |
| X7121A | 21" color monitor | \$2,100 | A |
| X7124A | 24" wide-screen color monitor (only for use with Creator3D) | \$4,000 | A |
| X3872A | Video connector adapter HD15F to 13W3M | \$45 | A |

Upgrades to Model 300:

| From | Part Number and Description | List Price | Discount Category |
|--------------------|--|------------|-------------------|
| SPARCstation 10/20 | UG20-3UEC19Q-128AC Chassis upgrade to Ultra 60 Model 300: Elite3D m3, 128MB, 4.3GB | \$12,720 | H* |
| SPARCstation 10/20 | UG20-3UEC19L-128AC Chassis upgrade to Ultra 60 Model 300: Creator3D series 3, 128MB, 4.3GB | \$9,795 | H* |
| Ultra 1/2 | UG14-3UEC19L-000AC Chassis upgrade to Ultra 60 Model 300: Creator3D series 3, no memory, 4.3GB | \$7,995 | H* |
| Ultra 1/2 | UG14-3UEC19Q-000AC Chassis upgrade to Ultra 60 Model 300: Elite3D m3, no memory, 4.3GB | \$10,920 | H* |
| Ultra 1/2 | UG14-3UEC19M-000AC Chassis upgrade to Ultra 60 Model 300: Elite3D m6, no memory, 4.3GB | \$13,480 | H* |

NOTES:

- All systems ship with the appropriate Solaris Desktop or Server license.
- Ultra 60 systems require Solaris 2.5.1 H/W 11/97, Solaris 2.6 H/W 3/98, or later Solaris 2.x release.
- Ultra 60 systems are equipped with FastEthernet (100BaseT) or 10BaseT via twisted-pair. If connecting to other media with an external transceiver, it will need to connect to the MII connector.
- Ultra 60 systems have a 68 pin SCSI connector on the back panel. If narrow SCSI devices are to be connect to the onboard SCSI interface a 50-68 pin cable (X903A or X904A) is needed.

NOTES for UPGRADES:

- Customer returns: system chassis, frame buffer, internal disk
- * Maximum discount may apply.

This page is intentionally blank.
